# FERTI MAXX COOL

18-8-18

# **GUARANTEED ANALYSIS**

Total Nitrogen (N)	18.0%
7.0% Ammoniacal Nitrogen	
11.0% Nitrate Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	8.0%
Soluble Potash (K <sub>2</sub> O)	.18.0%
Magnesium (Mg)	0.5%
0.05% Water Soluble Magnesium (Mg)	
Boron (B)	.0.02%
Iron (Fe)	0.1%
0.1% Chelated Iron (Fe)	
Manganese (Mn)	0.05%
0.05% Chelated Manganese (Mn)	
Molybdenum (Mo)	.0.01%

Derived from: Ammonium Nitrate, Potassium Nitrate, Ammonium Phosphate, Magnesium Sulfate, Iron EDTA, Manganese EDTA, Boric Acid and Sodium Molybdate

Potential Acidity: 419 lbs calcium carbonate equivalent per ton

Questions and Information about the components of this product lot may be obtained at www.ezfloinjection.com or by phone 866.393.5601

Guaranteed by: EZ-FLO Injection Systems Inc. 3640 Cincinnati Ave. ~ Rocklin, CA 95765



# **DIRECTIONS FOR USE**

FERTI-MAXX COOL is a fertilizer product for use on all plant material. It is optimized for use with fertigation systems but may also be used in foliar applications. FERTI-MAXX COOL may be added to any FERTI-MAXX fertility product, most other fertilizers, and most agricultural chemicals after conducting a jar test for compatibility. Always treat a small test area with any experimental blends to determine potential phytotoxicity before making general applications. Effective in cool, spring, and warm weather.

### **APPLICATION RATES / INTERVALS**

FERTIGATION SYSTEMS: Use 1 pound per every 2,000 square feet. Refill or apply every 4 to 6 weeks. Amount can be increased or decreased depending on desired results and plant needs.

HAND APPLICATIONS: Mix 1/2 Tablespoons per gallon of water and apply by spray or watering can for outdoor plants. Mix 1/4 teaspoon per gallon for indoor plants. Apply every 1 to 2 weeks.

WARNING- Product contains boron and molybdenum. The use of this fertilizing material on any crop(s) other than those recommended may result in serious injury to the crop(s). The application of fertilizing materials containing molybdenum may result in forage crops containing levels of molybdenum which are toxic to ruminant animals.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html



### **HAZARD STATEMENTS**

Causes skin irritation. Causes serious eve irritation.

# PRECAUTIONARY STATEMENTS

Keep / Store away from flammable/ combustible/ reducing materials. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. In case of fire: Use any suitable means for extinguishing surrounding fire. Dispose of contents/ container in

### STORAGE INFORMATION:

Keep container tightly closed in a dry and well-ventilated place. Store in a cool location, away from direct sunlight or where freezing is possible. Failure to follow storage guidelines may lead to product degradation.

KEEP OUT OF REACH OF CHILDREN & PETS

# **NOTICE TO BUYER**

This product is intended for use as a professional plant food, only. Users must exercise all due professional judgment and caution when applying the product under their own particular growing conditions.

Limitations of warranty and liability: EZ-FLO Injection Systems Inc. and any other seller, warrants only that this product conforms to the chemical description on the product label. No other warranty, express or implied, as to the merchantability, fitness for a particular use, or otherwise shall apply. Purchaser's exclusive remedy for loss or damage related to the purchase and/or use of this product shall be limited to the refund of the purchase price, only. By using this product, you are deemed to have accepted the terms of this notice.

Florida License No. F003078

**Net Weight: 25 lbs (11.35 kg)**